

Product Catalogue

Unmatched Speed and Reliability for Your Network

WIDER CABLE



CPR



SGS

Manufacturing Service——OEM Solutions



Welcome to Wider Wire & Cable Co.,Limited, a global leader in the design, development, and manufacturing of high-quality Ethernet cables, USB cable.

We understand the critical role that reliable networking infrastructure plays in today's data-driven environment.

Our state-of-the-art manufacturing facilities are equipped with advanced technology and stringent quality control systems

Enabling us to produce cables that adhere to international standards and exceed industry expectations.

We are your partner in connectivity. Trust us to deliver the technology and support that keep you connected today and into the future.




MANUFACTURING SERVICE

We are original manufacturer from raw material to end of product. OEM service, Quick delivery.

More than just manufacturing.

Proven expertise with custom cable based designs and more Integrated agile manufacturing and flexible supply chain for OEM product delivery.











In Vietnam, we combine cutting-edge technology with cost-efficient manufacturing.

And deliver high-performance networking solutions for enterprise clients across North America and global market.

We've launched a 5000 m² (53819sq. ft) and 200+ workers manufacturing facility in Vietnam.



Cable Certification




Contents


CMX Outdoor-CMR Ethernet Cable	Page 7
Ultra Slim Copper Patch Cord	Page 13
CAT.8 Copper Patch Cord	Page 17
CAT.7 Copper Patch Cord	Page 18
CAT.6A Copper Patch Cord	Page 18
CAT.6 Copper Patch Cord	Page 22
Ultra Flat Copper Patch Cord	Page 23



Outdoor Ethernet Cable for Satellite Receiver




High-Performance Ethernet Cable
for Seamless Connectivity



FTP (Foiled Twisted Pair) Shielded Ethernet Cable

- Reduced Electromagnetic Interference (EMI)
- Improved Signal Quality
- Better Performance in Noisy Environments
- Enhanced Data Speeds
- Durability
- C(UL) CMX Outdoor-CMR Jacket



Manufacturing Services - OEM Solutions

We offer comprehensive manufacturing services for outdoor Ethernet cables, including OEM customization to meet your unique specifications.

- AWG 26: 1 feet (0.3 meter) to 50 feet (15.2 meters)
- AWG 23: 50 feet (15.2 meter) to 151 feet (46 meters)


Color Options: 



Certified to Pass Fluke Test

Heavy-Duty Ethernet Outdoor Cable

- Weatherproof Design
- UV and Cold Resistance
- Shielding Against Interference
- Durability in Extreme Conditions
- Power and Data Transmission




CPR



SGS

ISO



How to Connect Satellite Receiver?

Use RJ45 Extender as a medium between the cable and Satellite Receiver.

To connect a satellite receiver using an Ethernet cable, first, plug the Ethernet Adapter into the router, then connect one end of the Ethernet cable to the adapter and the other end to your device or router for a stable wired connection.

Types CMX and Outdoor CMR Ethernet Patch Cable

- Premium Bare Copper
- Premium Gold-Plated RJ45
- Heavy-Duty Strain Relief





CPR



SGS

ISO



Manufacturing Services - OEM Solutions

We offer comprehensive manufacturing services for outdoor Ethernet cables, including OEM customization to meet your unique specifications.

- AWG 26: 1 feet (0.3 meter) to 50 feet (15.2 meters)
- AWG 23: 50 feet (15.2 meter) to 151 feet (46 meters)

Color Options:



Certified to Pass Fluke Test

WIDER CABLE



Ultra-slim patch cord is a type of Ethernet cable designed to be thinner and more flexible than standard patch cords. These cables are commonly used in networking environments where space is at a premium, such as densely populated server racks, data centers, and office setups with limited cable management options.

Data centers and Server rooms,
Office setups, Home networks



Cable diameter: 2.6mm
Cat.6A U/UTP

Ultra-Slim Copper Patch Cord



Ultra Slim Cat.6A Ethernet Patch Cable



OD: 2.6mm



- 100% pure copper
- Jacket: TPE
- up to 500 MHz

AWG34 | **Cat.6A**

Color:

06800	1FT(0.30M)	Ultra Slim AWG34 U/UTP
03588	1.5FT(0.46M)	Ultra Slim AWG34 U/UTP
03663	2FT(0.61M)	Ultra Slim AWG34 U/UTP
06824	3FT(0.91M)	Ultra Slim AWG34 U/UTP

Easier to bend and manage
in tight spaces compared
to standard cables.


More flexible and
lighter compared
to standard cables.

Space Saving



06831	6FT(1.83M)	Ultra Slim AWG34 U/UTP
06848	10FT(3.05M)	Ultra Slim AWG34 U/UTP
06855	15FT(4.57M)	Ultra Slim AWG34 U/UTP
06862	20FT(6.10M)	Ultra Slim AWG34 U/UTP






Color Options	
0 1 1 1 9	0.2m Copper Patch Cord Slim Cat.6A U/UTP
0 1 1 4 0	0.3m Copper Patch Cord Slim Cat.6A U/UTP
0 0 2 6 6	0.5m Copper Patch Cord Slim Cat.6A U/UTP
0 2 2 8 4	1m Copper Patch Cord Slim Cat.6A U/UTP
0 0 1 1 2	1.5m Copper Patch Cord Slim Cat.6A U/UTP
0 1 6 9 0	2m Copper Patch Cord Slim Cat.6A U/UTP
0 1 1 8 8	3m Copper Patch Cord Slim Cat.6A U/UTP
0 3 7 5 5	5m Copper Patch Cord Slim Cat.6A U/UTP
0 3 7 6 2	7m Copper Patch Cord Slim Cat.6A U/UTP
0 3 7 2 4	10m Copper Patch Cord Slim Cat.6A U/UTP

3.8mm Cat.6A Ultra-Slim Copper Patch Cord U/UTP

Ultra-Slim Design:

This cable's slim profile allows for easy installation and superior cable management, especially in tight spaces and high-density setups.

Category:	6A
Bandwidth:	500MHz
Allocation:	acc. TIA/EIA 568B
Conductor Material:	Copper
Connector type:	Short body RJ45
Contacts:	Gold plated
Locking lever:	Yes
Cable type:	U/UTP
Low smoke:	Yes
Jacket material:	LSZH or PVC
Cable construction:	AWG28 7/0.12mm
Outer diameter of the cable:	3.8mm
Over Mold:	Yes




Color Options	
0 7 1 4 2	0.2m Ultra Slim Cat.6A Ethernet Patch Cable U/UTP
0 7 1 5 9	0.3m Ultra Slim Cat.6A Ethernet Patch Cable U/UTP
0 7 1 6 6	0.5m Ultra Slim Cat.6A Ethernet Patch Cable U/UTP
0 5 4 1 4	1m Ultra Slim Cat.6A Ethernet Patch Cable U/UTP
0 6 0 1 5	1.5m Ultra Slim Cat.6A Ethernet Patch Cable U/UTP
0 6 0 2 2	2m Ultra Slim Cat.6A Ethernet Patch Cable U/UTP
0 6 0 3 9	3m Ultra Slim Cat.6A Ethernet Patch Cable U/UTP
0 6 0 4 6	5m Ultra Slim Cat.6A Ethernet Patch Cable U/UTP
0 6 0 5 3	7m Ultra Slim Cat.6A Ethernet Patch Cable U/UTP
0 6 0 6 0	10m Ultra Slim Cat.6A Ethernet Patch Cable U/UTP

Ultra Slim Cat.6A Ethernet Patch Cable U/UTP

Ultra-Slim Design:

This cable's slim profile allows for easy installation and superior cable management, especially in tight spaces and high-density setups.

Category:	6A
Bandwidth:	500MHz
Allocation:	acc. TIA/EIA 568B
Conductor Material:	Copper
Connector type:	Short body RJ45
Contacts:	Gold plated
Locking lever:	Yes
Cable type:	U/UTP
Low smoke:	Yes
Jacket material:	LSZH or PVC
Cable construction:	AWG28 7/0.12mm
Outer diameter of the cable:	3.8mm
Over Mold:	Yes




Color Options	
0 3 7 3 1	0.2m Copper Patch Cord Slim Cat.6A U/FTP
0 3 7 7 9	0.3m Copper Patch Cord Slim Cat.6A U/FTP
0 3 7 8 6	0.5m Copper Patch Cord Slim Cat.6A U/FTP
0 3 7 9 3	1m Copper Patch Cord Slim Cat.6A U/FTP
0 3 8 0 9	1.5m Copper Patch Cord Slim Cat.6A U/FTP
0 3 8 1 6	2m Copper Patch Cord Slim Cat.6A U/FTP
0 3 8 2 3	3m Copper Patch Cord Slim Cat.6A U/FTP
0 0 3 8 3	5m Copper Patch Cord Slim Cat.6A U/FTP
0 3 8 4 7	7m Copper Patch Cord Slim Cat.6A U/FTP
0 3 8 5 4	10m Copper Patch Cord Slim Cat.6A U/FTP

4.0mm Cat.6A Slim Copper Patch Cord U/FTP

High-Speed Data Transmission:

Supports up to 10 Gbps data transfer speeds, ideal for high-demand applications like HD streaming, online gaming, and large file transfers.

Category:	6A
Bandwidth:	500MHz
Allocation:	acc. TIA/EIA 568B
Conductor Material:	Copper
Connector type:	Short body RJ45
Contacts:	Gold plated
Locking lever:	Yes
Cable type:	U/FTP
Low smoke:	Yes
Jacket material:	LSZH or PVC
Cable construction:	AWG28 7/0.12mm
Outer diameter of the cable:	4.0mm
Over Mold:	Yes



Color Options	
0 3 8 9 2	0.2m Copper Patch Cord Slim Cat.6A U/FTP
0 3 9 0 8	0.3m Copper Patch Cord Slim Cat.6A U/FTP
0 3 9 1 5	0.5m Copper Patch Cord Slim Cat.6A U/FTP
0 3 9 2 2	1m Copper Patch Cord Slim Cat.6A U/FTP
0 3 9 3 9	1.5m Copper Patch Cord Slim Cat.6A U/FTP
0 3 9 4 6	2m Copper Patch Cord Slim Cat.6A U/FTP
0 3 9 5 3	3m Copper Patch Cord Slim Cat.6A U/FTP
0 3 9 6 0	5m Copper Patch Cord Slim Cat.6A U/FTP
0 3 9 7 7	7m Copper Patch Cord Slim Cat.6A U/FTP
0 3 9 8 4	10m Copper Patch Cord Slim Cat.6A U/FTP

4.0mm Cat.6A Slim Copper Patch Cord U/FTP

Slim Design:

This cable's slim profile allows for easy installation and superior cable management, especially in tight spaces and high-density setups.

Category:	6A
Bandwidth:	500MHz
Allocation:	acc. TIA/EIA 568B
Conductor Material:	Copper
Connector type:	Short body RJ45
Contacts:	Gold plated
Locking lever:	Yes
Cable type:	U/FTP
Low smoke:	Yes
Jacket material:	LSZH or PVC
Cable construction:	AWG28 7/0.12mm
Outer diameter of the cable:	4.0mm
Over Mold:	Yes




Color Options	UL	ETL	CPR	RoHS	REACH	SGS	CE
0 6 9 1 6	○	●	●	●	●	●	●
0 6 9 2 3	○	●	●	●	●	●	●
0 6 9 3 0	○	●	●	●	●	●	●
0 6 9 4 7	○	●	●	●	●	●	●
0 6 9 5 4	○	●	●	●	●	●	●
0 6 9 6 1	○	●	●	●	●	●	●
0 6 9 7 8	○	●	●	●	●	●	●
0 6 9 8 5	○	●	●	●	●	●	●
0 6 9 9 2	○	●	●	●	●	●	●
0 2 9 4 9	○	●	●	●	●	●	●
0 2 9 5 6	○	●	●	●	●	●	●
0 7 0 0 5	○	●	●	●	●	●	●
0 7 0 1 2	○	●	●	●	●	●	●

Cat.8 Outdoor Ethernet Patch Cable – CMR Rated

High-Quality, Fast & Reliable Network Performance

The Cat.8A Patch Cord delivers impressive speeds and bandwidth, ideal for demanding applications and high-speed internet connections.

Category:	8
Bandwidth:	up to 2000MHz
Allocation:	acc. TIA/EIA 568B
Conductor Material:	Copper
Connector type:	Long body RJ45
Contacts:	Gold plated
Locking lever:	Yes
Cable type:	SSTP
Jacket material:	PVC CMR Rated
Cable construction:	AWG26/AWG23
Outer diameter of the cable:	6.2mm
Over Mold:	Yes



Color Options	UL	ETL	CPR	RoHS	REACH	SGS	CE
0 7 0 2 9	○	●	●	●	●	●	●
0 7 0 3 6	○	●	●	●	●	●	●
0 7 0 4 3	○	●	●	●	●	●	●
0 7 0 5 0	○	●	●	●	●	●	●
0 7 0 6 7	○	●	●	●	●	●	●
0 7 0 7 4	○	●	●	●	●	●	●
0 7 0 8 1	○	●	●	●	●	●	●
0 7 0 9 8	○	●	●	●	●	●	●
0 7 1 0 4	○	●	●	●	●	●	●
0 5 8 6 5	○	●	●	●	●	●	●
0 5 8 7 2	○	●	●	●	●	●	●
0 7 1 1 1	○	●	●	●	●	●	●
0 7 1 2 8	○	●	●	●	●	●	●

Cat.8 Outdoor Ethernet Patch Cable – CMR Rated

High-Quality, Fast & Reliable Network Performance

Get your network operational without delays thanks to the simple and straightforward installation of the Cat.8 Patch Cord.

Category:	8
Bandwidth:	up to 2000MHz
Allocation:	acc. TIA/EIA 568B
Conductor Material:	Copper
Connector type:	Long body RJ45
Contacts:	Gold plated
Locking lever:	Yes
Cable type:	SSTP
Jacket material:	PVC CMR Rated
Cable construction:	AWG26 7/0.16mm
Outer diameter of the cable:	6.2mm
Over Mold:	Yes




Color Options	UL	ETL	CPR	RoHS	REACH	SGS	CE
0 3 9 9 1	○	●	●	●	●	●	●
0 4 0 0 4	○	●	●	●	●	●	●
0 4 0 1 1	○	●	●	●	●	●	●
0 4 0 2 8	○	●	●	●	●	●	●
0 4 0 3 5	○	●	●	●	●	●	●
0 4 0 4 2	○	●	●	●	●	●	●
0 3 6 9 4	○	●	●	●	●	●	●
0 4 0 5 9	○	●	●	●	●	●	●
0 4 0 6 6	○	●	●	●	●	●	●
0 4 0 7 3	○	●	●	●	●	●	●
0 4 0 8 0	○	●	●	●	●	●	●
0 4 0 9 7	○	●	●	●	●	●	●
0 4 1 0 3	○	●	●	●	●	●	●

Cat.7 SSTP Coper Patch Cord Black

Easy to Install for Quick Networking Solutions

Get your network operational without delays thanks to the simple and straightforward installation of the Cat.7 Patch Cord.

Category:	7
Bandwidth:	550MHz-600MHz
Allocation:	acc. TIA/EIA 568B
Conductor Material:	Copper
Connector type:	Long body RJ45
Contacts:	Gold plated
Locking lever:	Yes
Cable type:	SSTP
Low smoke:	Yes
Jacket material:	LSZH or PVC
Cable construction:	AWG26 7/0.16mm
Outer diameter of the cable:	6.2mm
Over Mold:	Yes




Color Options	UL	ETL	CPR	RoHS	REACH	SGS	CE
0 4 1 1 0	○	●	●	●	●	●	●
0 4 1 2 7	○	●	●	●	●	●	●
0 4 1 3 4	○	●	●	●	●	●	●
0 4 1 4 1	○	●	●	●	●	●	●
0 4 1 5 8	○	●	●	●	●	●	●
0 4 1 6 5	○	●	●	●	●	●	●
0 4 1 7 2	○	●	●	●	●	●	●
0 4 1 8 9	○	●	●	●	●	●	●
0 4 1 9 6	○	●	●	●	●	●	●
0 4 2 0 2	○	●	●	●	●	●	●
0 4 2 1 9	○	●	●	●	●	●	●
0 4 2 2 6	○	●	●	●	●	●	●
0 4 2 3 3	○	●	●	●	●	●	●

Cat.6A SSTP Ethernet Patch Cable

Unleash High-Speed Networking with Confidence

The Cat.6A Patch Cord delivers impressive speeds and bandwidth, ideal for demanding applications and high-speed internet connections.

Category:	6A
Bandwidth:	500MHz
Allocation:	acc. TIA/EIA 568B
Conductor Material:	Copper
Connector type:	Long body RJ45
Contacts:	Gold plated
Locking lever:	Yes
Cable type:	SSTP
Low smoke:	Yes
Jacket material:	LSZH or PVC
Cable construction:	AWG26 7/0.16mm
Outer diameter of the cable:	6.2mm
Over Mold:	Yes



Color Options	
0 5 0 6 3	0.2m Copper Patch Cord Cat.6A SFTP
0 5 0 7 0	0.3m Copper Patch Cord Cat.6A SFTP
0 5 0 8 7	0.5m Copper Patch Cord Cat.6A SFTP
0 5 0 9 4	1m Copper Patch Cord Cat.6A SFTP
0 5 1 0 0	1.5m Copper Patch Cord Cat.6A SFTP
0 5 1 1 7	2m Copper Patch Cord Cat.6A SFTP
0 5 1 2 4	3m Copper Patch Cord Cat.6A SFTP
0 5 1 3 1	5m Copper Patch Cord Cat.6A SFTP
0 5 1 4 8	7m Copper Patch Cord Cat.6A SFTP
0 5 1 5 5	10m Copper Patch Cord Cat.6A SFTP
0 5 1 6 2	15m Copper Patch Cord Cat.6A SFTP
0 5 1 7 9	20m Copper Patch Cord Cat.6A SFTP
0 5 1 8 6	25m Copper Patch Cord Cat.6A SFTP

Cat.6A SFTP Ethernet Patch Cable-Grey

Easy to Install for Quick Networking Solutions

Get your network operational without delays thanks to the simple and straightforward installation of the Cat.6A Patch Cord.

Category:	6A
Bandwidth:	500MHz
Allocation:	acc. TIA/EIA 568B
Conductor Material:	Copper
Connector type:	Long body RJ45
Contacts:	Gold plated
Locking lever:	Yes
Cable type:	SFTP
Low smoke:	Yes
Jacket material:	LSZH or PVC
Cable construction:	AWG26 7/0.16mm
Outer diameter of the cable:	6.2mm
Over Mold:	Yes



Color Options	
0 4 3 5 6	0.2m Copper Patch Cord Cat.6A SFTP
0 4 3 6 3	0.3m Copper Patch Cord Cat.6A SFTP
0 4 3 7 0	0.5m Copper Patch Cord Cat.6A SFTP
0 4 3 8 7	1m Copper Patch Cord Cat.6A SFTP
0 2 0 7 9	1.5m Copper Patch Cord Cat.6A SFTP
0 4 3 9 4	2m Copper Patch Cord Cat.6A SFTP
0 4 4 0 0	3m Copper Patch Cord Cat.6A SFTP
0 4 4 1 7	5m Copper Patch Cord Cat.6A SFTP
0 4 4 2 4	7m Copper Patch Cord Cat.6A SFTP
0 4 4 3 1	10m Copper Patch Cord Cat.6A SFTP
0 2 8 1 9	15m Copper Patch Cord Cat.6A SFTP
0 4 4 4 8	20m Copper Patch Cord Cat.6A SFTP
0 4 4 5 5	25m Copper Patch Cord Cat.6A SFTP

Cat.6A SFTP Ethernet Patch Cable-Blue


Application:

Designed for Network Adapters, Hubs, Switches, Routers, DSL/Cable Modems, Patch Panels and other Computer Networking applications.

Category:	6A
Bandwidth:	500MHz
Allocation:	acc. TIA/EIA 568B
Conductor Material:	Copper
Connector type:	Long body RJ45
Contacts:	Gold plated
Locking lever:	Yes
Cable type:	SFTP
Low smoke:	Yes
Jacket material:	LSZH or PVC
Cable construction:	AWG26 7/0.16mm
Outer diameter of the cable:	6.2mm
Over Mold:	Yes



Color Options	
0 4 4 6 2	0.2m Copper Patch Cord Cat.6A SFTP
0 4 4 7 9	0.3m Copper Patch Cord Cat.6A SFTP
0 4 4 8 6	0.5m Copper Patch Cord Cat.6A SFTP
0 4 4 9 3	1m Copper Patch Cord Cat.6A SFTP
0 4 5 0 9	1.5m Copper Patch Cord Cat.6A SFTP
0 1 2 8 7	2m Copper Patch Cord Cat.6A SFTP
0 4 5 1 6	3m Copper Patch Cord Cat.6A SFTP
0 4 5 2 3	5m Copper Patch Cord Cat.6A SFTP
0 4 5 3 0	7m Copper Patch Cord Cat.6A SFTP
0 4 5 4 7	10m Copper Patch Cord Cat.6A SFTP
0 4 5 5 4	15m Copper Patch Cord Cat.6A SFTP
0 4 5 6 1	20m Copper Patch Cord Cat.6A SFTP
0 4 5 7 8	25m Copper Patch Cord Cat.6A SFTP



Color Options	
0 4 2 4 0	0.2m Copper Patch Cord Cat.6A U/UTP
0 4 2 5 7	0.3m Copper Patch Cord Cat.6A U/UTP
0 3 7 0 0	0.5m Copper Patch Cord Cat.6A U/UTP
0 4 2 6 4	1m Copper Patch Cord Cat.6A U/UTP
0 4 2 7 1	1.5m Copper Patch Cord Cat.6A U/UTP
0 3 7 1 7	2m Copper Patch Cord Cat.6A U/UTP
0 4 2 8 8	3m Copper Patch Cord Cat.6A U/UTP
0 4 2 9 5	5m Copper Patch Cord Cat.6A U/UTP
0 4 3 0 1	7m Copper Patch Cord Cat.6A U/UTP
0 4 3 1 8	10m Copper Patch Cord Cat.6A U/UTP
0 4 3 2 5	15m Copper Patch Cord Cat.6A U/UTP
0 4 3 3 2	20m Copper Patch Cord Cat.6A U/UTP
0 4 3 4 9	25m Copper Patch Cord Cat.6A U/UTP

Copper Patch Cord Cat.6A SFTP Black

Achieve Clear, Interference-Free Signal Transmission

Enjoy reliable and consistent network performance with advanced shielding that reduces crosstalk and interference.

Category:	6A
Bandwidth:	500MHz
Allocation:	acc. TIA/EIA 568B
Conductor Material:	Copper
Connector type:	Long body RJ45
Contacts:	Gold plated
Locking lever:	Yes
Cable type:	SFTP
Low smoke:	Yes
Jacket material:	LSZH or PVC
Cable construction:	AWG26 7/0.16mm
Outer diameter of the cable:	6.2mm
Over Mold:	Yes

Copper Patch Cord Cat.6A U/UTP Grey

Durability That Withstands Everyday Use

Built with premium materials, this patch cord offers exceptional durability and longevity, handling the rigors of regular use with ease.

Category:	6A
Bandwidth:	500MHz
Allocation:	acc. TIA/EIA 568B
Conductor Material:	Copper
Connector type:	Long body RJ45
Contacts:	Gold plated
Locking lever:	Yes
Cable type:	U/UTP
Low smoke:	Yes
Jacket material:	LSZH or PVC
Cable construction:	AWG26 7/0.16mm
Outer diameter of the cable:	5.9mm
Over Mold:	Yes



Color Options		UL	ETL	CPR	RoHS	REACH	RoHS	CE	SGS
0 6 0 7 7	0.2m Cat.6A Ethernet Patch Cable U/UTP								
0 6 0 8 4	0.3m Cat.6A Ethernet Patch Cable U/UTP								
0 6 0 9 1	0.5m Cat.6A Ethernet Patch Cable U/UTP								
0 6 1 0 7	1m Cat.6A Ethernet Patch Cable U/UTP								
0 6 1 1 4	1.5m Cat.6A Ethernet Patch Cable U/UTP								
0 5 4 2 1	2m Cat.6A Ethernet Patch Cable U/UTP								
0 7 1 7 3	3m Cat.6A Ethernet Patch Cable U/UTP								
0 7 1 8 0	5m Cat.6A Ethernet Patch Cable U/UTP								
0 7 1 9 7	7m Cat.6A Ethernet Patch Cable U/UTP								
0 7 2 0 3	10m Cat.6A Ethernet Patch Cable U/UTP								
0 7 2 1 0	15m Cat.6A Ethernet Patch Cable U/UTP								
0 7 2 2 7	20m Cat.6A Ethernet Patch Cable U/UTP								
0 7 2 3 4	25m Cat.6A Ethernet Patch Cable U/UTP								

Cat.6A Outdoor Ethernet Patch Cable U/UTP

Durability That Withstands Everyday Use

Built with premium materials, this patch cord offers exceptional durability and longevity, handling the rigors of regular use with ease.

Category:	6A
Bandwidth:	500MHz
Allocation:	acc. TIA/EIA 568B
Conductor Material:	Copper
Connector type:	Long body RJ45
Contacts:	Gold plated
Locking lever:	Yes
Cable type:	U/UTP
Low smoke:	Yes
Jacket material:	LSZH or PVC
Cable construction:	AWG26 7/0.16mm
Outer diameter of the cable:	5.9mm
Over Mold:	Yes



Color Options		UL	ETL	CPR	RoHS	REACH	RoHS	CE	SGS
0 4 9 3 6	0.2m Copper Patch Cord Cat.6A U/UTP								
0 4 9 4 3	0.3m Copper Patch Cord Cat.6A U/UTP								
0 4 9 5 0	0.5m Copper Patch Cord Cat.6A U/UTP								
0 4 9 6 7	1m Copper Patch Cord Cat.6A U/UTP								
0 4 9 7 4	1.5m Copper Patch Cord Cat.6A U/UTP								
0 4 9 8 1	2m Copper Patch Cord Cat.6A U/UTP								
0 4 9 9 8	3m Copper Patch Cord Cat.6A U/UTP								
0 5 0 0 1	5m Copper Patch Cord Cat.6A U/UTP								
0 5 0 1 8	7m Copper Patch Cord Cat.6A U/UTP								
0 5 0 2 5	10m Copper Patch Cord Cat.6A U/UTP								
0 5 0 3 2	15m Copper Patch Cord Cat.6A U/UTP								
0 5 0 4 9	20m Copper Patch Cord Cat.6A U/UTP								
0 5 0 5 6	25m Copper Patch Cord Cat.6A U/UTP								

Copper Patch Cord Cat.6A U/UTP Black

Durability That Withstands Everyday Use

Built with premium materials, this patch cord offers exceptional durability and longevity, handling the rigors of regular use with ease.

Category:	6A
Bandwidth:	500MHz
Allocation:	acc. TIA/EIA 568B.2
Conductor Material:	Copper
Connector type:	Long body RJ45
Contacts:	Gold plated
Locking lever:	Yes
Cable type:	U/UTP
Low smoke:	Yes
Jacket material:	LSZH or PVC
Cable construction:	AWG26 7/0.16mm
Outer diameter of the cable:	5.9mm
Over Mold:	Yes



Color Options		UL	ETL	CPR	RoHS	REACH	RoHS	CE	SGS
0 4 7 0 7	0.2m Copper Patch Cord Cat.6 U/UTP								
0 4 7 1 4	0.3m Copper Patch Cord Cat.6 U/UTP								
0 4 7 2 1	0.5m Copper Patch Cord Cat.6 U/UTP								
0 4 7 3 8	1m Copper Patch Cord Cat.6 U/UTP								
0 4 7 4 5	1.5m Copper Patch Cord Cat.6 U/UTP								
0 4 7 5 2	2m Copper Patch Cord Cat.6 U/UTP								
0 4 7 6 9	3m Copper Patch Cord Cat.6 U/UTP								
0 4 7 7 6	5m Copper Patch Cord Cat.6 U/UTP								
0 4 7 8 3	7m Copper Patch Cord Cat.6 U/UTP								
0 3 0 7 6	10m Copper Patch Cord Cat.6 U/UTP								
0 3 6 7 0	15m Copper Patch Cord Cat.6 U/UTP								
0 3 6 8 7	20m Copper Patch Cord Cat.6 U/UTP								
0 4 7 9 0	25m Copper Patch Cord Cat.6 U/UTP								

Cat.6 Ethernet Network Patch Cable

High-Speed Data Transmission:

Supports up to 10 Gbps data transfer speeds, ideal for high-demand applications like HD streaming, online gaming, and large file transfers.

Category:	6
Bandwidth:	500MHz
Allocation:	acc. TIA/EIA 568B
Conductor Material:	Copper
Connector type:	Long body RJ45
Contacts:	Gold plated
Locking lever:	Yes
Cable type:	U/UTP
Low smoke:	Yes
Jacket material:	LSZH or PVC
Cable construction:	AWG26 7/0.16mm
Outer diameter of the cable:	5.9mm
Over Mold:	Yes



Color Options		UL	ETL	CPR	RoHS	REACH	RoHS	CE	SGS
0 4 5 8 5	0.2m Copper Patch Cord Cat.6 U/UTP								
0 4 5 9 2	0.3m Copper Patch Cord Cat.6 U/UTP								
0 4 6 0 8	0.5m Copper Patch Cord Cat.6 U/UTP								
0 4 6 1 5	1m Copper Patch Cord Cat.6 U/UTP								
0 4 6 2 2	1.5m Copper Patch Cord Cat.6 U/UTP								
0 4 6 3 9	2m Copper Patch Cord Cat.6 U/UTP								
0 4 6 4 6	3m Copper Patch Cord Cat.6 U/UTP								
0 4 6 5 3	5m Copper Patch Cord Cat.6 U/UTP								
0 4 6 6 0	7m Copper Patch Cord Cat.6 U/UTP								
0 4 6 7 7	10m Copper Patch Cord Cat.6 U/UTP								
0 4 6 8 4	15m Copper Patch Cord Cat.6 U/UTP								
0 4 6 9 1	20m Copper Patch Cord Cat.6 U/UTP								
0 2 3 0 7	25m Copper Patch Cord Cat.6 U/UTP								

Cat.6 Ethernet Network Patch Cable

High-Speed Data Transmission:

Supports up to 10 Gbps data transfer speeds, ideal for high-demand applications like HD streaming, online gaming, and large file transfers.

Category:	6
Bandwidth:	500MHz
Allocation:	acc. TIA/EIA 568B
Conductor Material:	Copper
Connector type:	Long body RJ45
Contacts:	Gold plated
Locking lever:	Yes
Cable type:	U/UTP
Low smoke:	Yes
Jacket material:	LSZH or PVC
Cable construction:	AWG26 7/0.16mm
Outer diameter of the cable:	5.9mm
Over Mold:	Yes



Color Options	
0 6 4 0 4	0.2m Copper Flat Patch Cord Cat.7 FTP
0 6 4 1 1	0.3m Copper Flat Patch Cord Cat.7 FTP
0 6 4 2 8	0.5m Copper Flat Patch Cord Cat.7 FTP
0 6 4 3 5	1m Copper Flat Patch Cord Cat.7 FTP
0 6 4 4 2	1.5m Copper Flat Patch Cord Cat.7 FTP
0 6 4 5 9	2m Copper Flat Patch Cord Cat.7 FTP
0 6 4 6 6	3m Copper Flat Patch Cord Cat.7 FTP
0 6 4 7 3	5m Copper Flat Patch Cord Cat.7 FTP
0 6 4 8 0	7m Copper Flat Patch Cord Cat.7 FTP
0 6 4 9 7	10m Copper Flat Patch Cord Cat.7 FTP
0 6 5 0 3	15m Copper Flat Patch Cord Cat.7 FTP
0 6 5 8 9	20m Copper Flat Patch Cord Cat.7 FTP

Flat Cat.7 Ethernet Network Patch Cord

Superior Speed in a Thin Profile

Get your network operational without delays thanks to the simple and straightforward installation of the Cat.7 Patch Cord.

Category:	7
Bandwidth:	600MHz
Allocation:	acc. TIA/EIA 568B
Conductor Material:	Copper
Connector type:	Short body RJ45
Contacts:	Gold plated
Locking lever:	Yes
Cable type:	FTP
Low smoke:	No
Jacket material:	PVC or TPE
Cable construction:	AWG32 or AWG30
Outer diameter of the cable:	2.2x7.2mm
Over Mold:	Yes



Color Options	
0 5 3 0 8	0.2m Copper Flat Patch Cord Cat.6 U/UTP
0 5 3 1 5	0.3m Copper Flat Patch Cord Cat.6 U/UTP
0 5 3 2 2	0.5m Copper Flat Patch Cord Cat.6 U/UTP
0 5 3 3 9	1m Copper Flat Patch Cord Cat.6 U/UTP
0 5 3 4 6	1.5m Copper Flat Patch Cord Cat.6 U/UTP
0 5 3 5 3	2m Copper Flat Patch Cord Cat.6 U/UTP
0 5 3 6 0	3m Copper Flat Patch Cord Cat.6 U/UTP
0 5 3 7 7	5m Copper Flat Patch Cord Cat.6 U/UTP
0 5 3 8 4	7m Copper Flat Patch Cord Cat.6 U/UTP
0 5 3 9 1	10m Copper Flat Patch Cord Cat.6 U/UTP
0 5 4 0 7	15m Copper Flat Patch Cord Cat.6 U/UTP

Space-Saving Ultra Flat Cat.6 Ethernet Cable

Sleek, High-Speed Connection

The Cat.6 Patch Cord delivers impressive speeds and bandwidth, ideal for demanding applications and high-speed internet connections.

Category:	6
Bandwidth:	250MHz
Allocation:	acc. TIA/EIA 568B
Conductor Material:	Copper
Connector type:	Short body RJ45
Contacts:	Gold plated
Locking lever:	Yes
Cable type:	U/UTP
Low smoke:	No
Jacket material:	PVC or TPE
Cable construction:	AWG32
Outer diameter of the cable:	1.1x4.1mm
Over Mold:	Yes




Color Options	
0 5 6 2 9	0.2m Copper Flat Patch Cord Cat.6 U/UTP
0 5 6 3 6	0.3m Copper Flat Patch Cord Cat.6 U/UTP
0 5 6 4 3	0.5m Copper Flat Patch Cord Cat.6 U/UTP
0 5 6 5 0	1m Copper Flat Patch Cord Cat.6 U/UTP
0 5 6 6 7	1.5m Copper Flat Patch Cord Cat.6 U/UTP
0 5 6 7 4	2m Copper Flat Patch Cord Cat.6 U/UTP
0 5 6 8 1	3m Copper Flat Patch Cord Cat.6 U/UTP
0 5 6 9 8	5m Copper Flat Patch Cord Cat.6 U/UTP
0 5 7 0 4	7m Copper Flat Patch Cord Cat.6 U/UTP
0 5 7 1 1	10m Copper Flat Patch Cord Cat.6 U/UTP
0 5 7 2 8	15m Copper Flat Patch Cord Cat.6 U/UTP

Ultra Slim Flat Cat.6 Ethernet Patch Cable

Fast, Flexible, and Durable

The Cat.6 Patch Cord delivers impressive speeds and bandwidth, ideal for demanding applications and high-speed internet connections.

Category:	6
Bandwidth:	250MHz
Allocation:	acc. TIA/EIA 568B
Conductor Material:	Copper
Connector type:	Short body RJ45
Contacts:	Gold plated
Locking lever:	Yes
Cable type:	U/UTP
Low smoke:	No
Jacket material:	PVC or TPE
Cable construction:	AWG32
Outer diameter of the cable:	1.1x4.1mm
Over Mold:	Yes



Color Options	
0 2 9 6 3	0.2m Copper Flat Patch Cord Cat.6 U/UTP
0 2 9 7 0	0.3m Copper Flat Patch Cord Cat.6 U/UTP
0 2 9 8 7	0.5m Copper Flat Patch Cord Cat.6 U/UTP
0 2 9 9 4	1m Copper Flat Patch Cord Cat.6 U/UTP
0 3 4 7 2	1.5m Copper Flat Patch Cord Cat.6 U/UTP
0 3 0 0 7	2m Copper Flat Patch Cord Cat.6 U/UTP
0 3 0 1 4	3m Copper Flat Patch Cord Cat.6 U/UTP
0 3 1 1 3	5m Copper Flat Patch Cord Cat.6 U/UTP
0 3 1 2 0	7m Copper Flat Patch Cord Cat.6 U/UTP
0 3 1 3 7	10m Copper Flat Patch Cord Cat.6 U/UTP
0 3 1 4 4	15m Copper Flat Patch Cord Cat.6 U/UTP

Cat.6 Ultra Flat Ethernet Patch Cable

Reliable and Fast

Get your network operational without delays thanks to the simple and straightforward installation of the Cat.6 Patch Cord.

Category:	6
Bandwidth:	250MHz
Allocation:	acc. TIA/EIA 568B
Conductor Material:	Copper
Connector type:	Short body RJ45
Contacts:	Gold plated
Locking lever:	Yes
Cable type:	U/UTP
Low smoke:	No
Jacket material:	PVC or TPE
Cable construction:	AWG32
Outer diameter of the cable:	1.1x4.1mm
Over Mold:	Yes



Color Options

UL

ETL

CPR

RoHS

REACH

CE

SGS

0 5 1 9 3	0.2m Copper Flat Patch Cord Cat.6 U/UTP
0 5 2 0 9	0.3m Copper Flat Patch Cord Cat.6 U/UTP
0 5 2 1 6	0.5m Copper Flat Patch Cord Cat.6 U/UTP
0 5 2 2 3	1m Copper Flat Patch Cord Cat.6 U/UTP
0 5 2 3 0	1.5m Copper Flat Patch Cord Cat.6 U/UTP
0 5 2 4 7	2m Copper Flat Patch Cord Cat.6 U/UTP
0 5 2 5 4	3m Copper Flat Patch Cord Cat.6 U/UTP
0 5 2 7 8	5m Copper Flat Patch Cord Cat.6 U/UTP
0 2 0 8 6	7m Copper Flat Patch Cord Cat.6 U/UTP
0 1 2 9 4	10m Copper Flat Patch Cord Cat.6 U/UTP
0 1 3 0 0	15m Copper Flat Patch Cord Cat.6 U/UTP

Super Flat Cat.6 Ethernet Cable

Space-Saving Ethernet Cable for High-Speed Connections

Get your network operational without delays thanks to the simple and straightforward installation of the Cat.6 Patch Cord.

Category:	6
Bandwidth:	250MHz
Allocation:	acc. TIA/EIA 568B
Conductor Material:	Copper
Connector type:	Short body RJ45
Contacts:	Gold plated
Locking lever:	Yes
Cable type:	U/UTP
Low smoke:	No
Jacket material:	PVC or TPE
Cable construction:	AWG32
Outer diameter of the cable:	1.1X4.1 mm
Over Mold:	Yes



Color Options

UL

ETL

CPR

RoHS

REACH

CE

SGS

0 5 4 9 0	0.2m Copper Flat Patch Cord Cat.6 U/UTP
0 5 5 0 6	0.3m Copper Flat Patch Cord Cat.6 U/UTP
0 5 5 1 3	0.5m Copper Flat Patch Cord Cat.6 U/UTP
0 5 5 2 0	1m Copper Flat Patch Cord Cat.6 U/UTP
0 5 5 3 7	1.5m Copper Flat Patch Cord Cat.6 U/UTP
0 5 5 4 4	2m Copper Flat Patch Cord Cat.6 U/UTP
0 5 5 5 1	3m Copper Flat Patch Cord Cat.6 U/UTP
0 5 5 6 8	5m Copper Flat Patch Cord Cat.6 U/UTP
0 5 5 7 5	7m Copper Flat Patch Cord Cat.6 U/UTP
0 5 5 8 2	10m Copper Flat Patch Cord Cat.6 U/UTP
0 5 5 9 9	15m Copper Flat Patch Cord Cat.6 U/UTP
0 6 5 5 8	20m Copper Flat Patch Cord Cat.6 U/UTP

Flat and Fast: Premium Cat.6 Ethernet Patch Cable

Speed Meets Flexibility

Get your network operational without delays thanks to the simple and straightforward installation of the Cat.6 Patch Cord.

Category:	6
Bandwidth:	250MHz
Allocation:	acc. TIA/EIA 568B
Conductor Material:	Copper
Connector type:	Short body RJ45
Contacts:	Gold plated
Locking lever:	Yes
Cable type:	U/UTP
Low smoke:	No
Jacket material:	PVC or TPE
Cable construction:	AWG32
Outer diameter of the cable:	1.5x6.0mm
Over Mold:	Yes



Color Options

UL

ETL

CPR

RoHS

REACH

CE

SGS

0 6 2 7 5	0.2m Copper Flat Patch Cord Cat.6 U/UTP
0 6 2 8 2	0.3m Copper Flat Patch Cord Cat.6 U/UTP
0 6 2 9 9	0.5m Copper Flat Patch Cord Cat.6 U/UTP
0 6 3 0 5	1m Copper Flat Patch Cord Cat.6 U/UTP
0 6 3 1 2	1.5m Copper Flat Patch Cord Cat.6 U/UTP
0 6 3 2 9	2m Copper Flat Patch Cord Cat.6 U/UTP
0 6 3 3 6	3m Copper Flat Patch Cord Cat.6 U/UTP
0 6 3 4 3	5m Copper Flat Patch Cord Cat.6 U/UTP
0 6 3 5 0	7m Copper Flat Patch Cord Cat.6 U/UTP
0 6 3 6 7	10m Copper Flat Patch Cord Cat.6 U/UTP
0 6 3 7 4	15m Copper Flat Patch Cord Cat.6 U/UTP
0 6 5 7 2	20m Copper Flat Patch Cord Cat.6 U/UTP

High-Speed Flat Cat.6 Ethernet Patch Cable

High-Speed Gigabit LAN, Flexible & Durable

Built with premium materials, this patch cord offers exceptional durability and longevity, handling the rigors of regular use with ease.

Category:	6
Bandwidth:	250MHz
Allocation:	acc. TIA/EIA 568B
Conductor Material:	Copper
Connector type:	Short body RJ45
Contacts:	Gold plated
Locking lever:	Yes
Cable type:	U/UTP
Low smoke:	No
Jacket material:	PVC or TPE
Cable construction:	AWG32
Outer diameter of the cable:	1.5x6.0mm
Over Mold:	Yes



Color Options

UL

ETL

CPR

RoHS

REACH

CE

SGS

0 5 8 8 9	0.2m Copper Flat Patch Cord Cat.6 U/UTP
0 5 8 9 6	0.3m Copper Flat Patch Cord Cat.6 U/UTP
0 5 9 0 2	0.5m Copper Flat Patch Cord Cat.6 U/UTP
0 5 9 1 9	1m Copper Flat Patch Cord Cat.6 U/UTP
0 5 9 2 6	1.5m Copper Flat Patch Cord Cat.6 U/UTP
0 5 9 3 3	2m Copper Flat Patch Cord Cat.6 U/UTP
0 5 9 4 0	3m Copper Flat Patch Cord Cat.6 U/UTP
0 5 9 5 7	5m Copper Flat Patch Cord Cat.6 U/UTP
0 5 9 6 4	7m Copper Flat Patch Cord Cat.6 U/UTP
0 5 9 7 1	10m Copper Flat Patch Cord Cat.6 U/UTP
0 5 9 8 8	15m Copper Flat Patch Cord Cat.6 U/UTP
0 6 5 4 1	20m Copper Flat Patch Cord Cat.6 U/UTP

Super Flat Cat.6 Ethernet Patch Cable

High-Speed, Low-Profile Performance

Get your network operational without delays thanks to the simple and straightforward installation of the Cat.6 Patch Cord.

Category:	6
Bandwidth:	250MHz
Allocation:	acc. TIA/EIA 568B
Conductor Material:	Copper
Connector type:	Short body RJ45
Contacts:	Gold plated
Locking lever:	Yes
Cable type:	U/UTP
Low smoke:	No
Jacket material:	PVC or TPE
Cable construction:	32AWG7/0.08mm
Outer diameter of the cable:	1.5x6.0mm
Over Mold:	Yes

W WIDER CABLE

📍 Address 1: No.5, Hong Chang Road, Nan Keng, Qi Shi Town,
Dong Guan City, Guang Dong Province, China

Address 2: 378 , đường Nguyễn Thiện Thuật,
phường phan đình Phùng, thị xã Mỹ
Hào, tỉnh Hưng Yên, Hà Nội, Vietnam

☎ +86-134-1273-3092

💬 WhatsApp: +372-81-365-452

✉ sales@widercable.com

🌐 www.widercable.com



**YOUR RELIABLE OEM
PARTNER FOR ELECTRONICS.**